

DOOR & FRAME SCHEDULE Level 4

DOOR NUMBER	ROOM No	ROOM NAME	DOOR			FRAME			SIDELITE			PARTITION THICKNESS			DETAILS			FIRE RATING	HARD WARE	COMMENTS	REV.
			PANEL TYPE	MATERIAL	FINISH	WIDTH 1	WIDTH 2	HEIGHT	TYPE	MATERIAL	FINISH	WIDTH	GLAZING	THICKNESS	JAMB	HEAD	SILL				
401.1	401	RECEPTION WAITING	FG	WD	FF	3'-0"		8'-3 1/2"	DP	ALUM	FF		GL23						5F	NOTE #1	
402.1	402	COPY WORKROOM	F	WD	FF	3'-0"		7'-0"	01A	HM	PT		478"	J07	H07						
403.1	403	MEDIUM CONFERENCE ROOM	TG1	GL		3'-0"		8'-2 1/2"	DP	ALUM	FF		GL31						5F	NOTE #1	
404.1	404	BLDG ELEC	F	HM	PT	3'-0"		7'-0"	01	HM	PT		478"	J01	H01	S-01	1.0 HR	2A			
405.1	C-402	CORRIDOR	F	HM	PT	3'-0"		7'-0"	01	HM	PT		512"	J01	H01	S-01		2C			
408.1	408	TID	F	HM	PT	3'-0"		7'-0"	01	HM	PT		512"	J01	H01	S-01		ETC	NOTE #2		
411.1	411	INSDR PANTRY	F	WD	FF	3'-0"		8'-0"	01A	HM	PT		512"	J07	H07						
412.1	412	OPEN WORKSTATIONS	TG1	GL		3'-0"		8'-2 1/2"	DP	ALUM	FF		GL31						5E	NOTE #1	
412A.1	412A	OFFICE	F	WD	FF	3'-0"		7'-9 1/2"	DP	ALUM	FF								1	NOTE #1	
412B.1	412B	OFFICE	F	WD	FF	3'-0"		7'-9 1/2"	DP	ALUM	FF								1	NOTE #1	
412C.1	412C	OFFICE	F	WD	FF	3'-0"		7'-9 1/2"	DP	ALUM	FF								1	NOTE #1	
412D.1	412D	OFFICE	F	WD	FF	3'-0"		7'-9 1/2"	DP	ALUM	FF								1	NOTE #1	
413.1	413	GRAD STUDENTS	TG1	GL		3'-0"		8'-2 1/2"	DP	ALUM	FF		GL31						5E	NOTE #1	
413A.1	413A	OFFICE	F	WD	FF	3'-0"		7'-9 1/2"	DP	ALUM	FF								1	NOTE #1	
413B.1	413B	OFFICE	F	WD	FF	3'-0"		7'-9 1/2"	DP	ALUM	FF								1	NOTE #1	
413C.1	413C	OFFICE	F	WD	FF	3'-0"		7'-9 1/2"	DP	ALUM	FF								1	NOTE #1	
413D.1	413D	OFFICE	F	WD	FF	3'-0"		7'-9 1/2"	DP	ALUM	FF								1	NOTE #1	
414.1	414	GRAD STUDENTS	TG1	GL		3'-0"		8'-2 1/2"	DP	ALUM	FF		GL31						5E	NOTE #1	
414A.1	414A	OFFICE	F	WD	FF	3'-0"		7'-9 1/2"	DP	ALUM	FF								1	NOTE #1	
414B.1	414B	OFFICE	F	WD	FF	3'-0"		7'-9 1/2"	DP	ALUM	FF								1	NOTE #1	
414C.1	414C	OFFICE	F	WD	FF	3'-0"		7'-9 1/2"	DP	ALUM	FF								1	NOTE #1	
414D.1	414D	OFFICE	F	WD	FF	3'-0"		7'-9 1/2"	DP	ALUM	FF								1	NOTE #1	
415.1	415	INSDR FILE STORAGE	F	HM	PT	3'-0"		7'-0"	01	HM	PT		512"	J01	H01	S-01		6B			
416.1	416	PIPES	F2	HM	PT	3'-0"	3'-0"	7'-0"	01	HM	PT		478"	J01	H01	S-01		2A			
416.2	416	PIPES	F2	HM	PT	3'-0"	3'-0"	7'-0"	01	HM	PT		478"	J01	H01	S-01		2B			
420.1	420	POPULATION HEALTH LABORATORY	G	WD	FF	3'-0"		8'-0"	02	HM	PT	1'-6"	GL23	5 1/2"	J01	H01	S-01		ETC	NOTE #16	
420.2	420	POPULATION HEALTH LABORATORY	G	WD	FF	3'-0"		8'-0"	02	HM	PT	1'-6"	GL23	5 1/2"	J01	H01	S-01		ETC	NOTE #16	
421.1	421	PH COLLAB ROOM	TG1	GL		3'-0"		7'-8 1/2"	DP	ALUM	FF		GL31						5F	NOTE #1	
422.1	422	PH COLLAB ROOM	TG1	GL		3'-0"		7'-8 1/2"	DP	ALUM	FF		GL31						5F	NOTE #1	
423.1	423	PH COLLAB ROOM	TG1	GL		3'-0"		7'-8 1/2"	DP	ALUM	FF		GL31						5F	NOTE #1	
424.1	424	PH INTERVIEW ROOM	FG	ALUMGL	FF	3'-0"		7'-9 1/2"	DP	ALUM	FF		GL23						1	NOTE #1	
425.1	425	PH INTERVIEW ROOM	FG	ALUMGL	FF	3'-0"		7'-9 1/2"	DP	ALUM	FF		GL23						1	NOTE #1	
426.1	426	VR SERVER ROOM	F	HM	PT	3'-0"		7'-0"	01	HM	PT		512"	J01	H01	S-01		2A			
427.1	427	PH SERVER ROOM	F	HM	PT	3'-0"		7'-0"	01	HM	PT		512"	J01	H01	S-01		2A			
428.1	428	PH COLLAB ROOM	TG1	GL		3'-1"		7'-8 1/2"	DP	ALUM	FF		GL31						5F	NOTE #1	
429.1	429	PH COLLAB ROOM	TG1	GL		3'-1"		7'-8 1/2"	DP	ALUM	FF		GL31						5F	NOTE #1	
430.1	430	LAB ENTRY	UG	WD	FF	3'-0"	1'-6"	8'-0"	01	HM	PT		GL23	5 1/2"	J01	H01	S-01		ETC	NOTE #2	
431.1	431	3D VIZ COLLAB	FN	HM	PT	3'-0"		7'-0"	01	HM	PT		GL33	4 7/8"	J01	H01	S-01		5G		
432.1	432	3D VIZ LAB	FN	HM	PT	3'-0"		7'-0"	01	HM	PT		GL33	4 7/8"	J01	H01	S-01		5G		
433.1	433	VR SUPPORT	FN	HM	PT	3'-0"		7'-0"	01	HM	PT		GL23	4 7/8"	J01	H01	S-01		5G		
434.1	434	VR SIM LAB	FN	HM	PT	3'-0"		7'-0"	01	HM	PT		GL23	7 1/4"	J01	H01	S-01		5G		
440.1	440	RECEPTION / WAITING	TG2	GL		3'-0"	3'-0"	8'-2 1/2"	DP	ALUM	FF		GL31						5G	NOTE #1, #2	
441.1	441	JBOG CONFERENCE	TG1	GL		3'-0"		9'-0"	01	ALUM	FF		GL21VGF01						5F		
442.1	442	JBOG CONFERENCE	TG1	GL		3'-0"		9'-0"	01	ALUM	FF		GL21VGF01						5F		
443.1	443	OFFICE	TG1	GL		3'-0"		7'-8 1/2"	DP	ALUM	FF								1	NOTE #1	
444.1	444	MEETING ROOM	TG1	GL		3'-0"		7'-8 1/2"	DP	ALUM	FF		GL21VGF01						1	NOTE #1	
445.1	445	OFFICE	TG1	GL		3'-0"		7'-8 1/2"	DP	ALUM	FF		GL21VGF01						1	NOTE #1	
446.1	446	OFFICE	TG1	GL		3'-0"		7'-8 1/2"	DP	ALUM	FF		GL21VGF01						1	NOTE #1	
448.1	448	STORAGE	F	HM	PT	3'-0"		7'-0"	01	HM	PT		478"	J01	H01	S-01		2E			
449.1	449	COPY / WORKROOM	F	WD	FF	3'-0"		7'-0"	01A	HM	PT		478"	J07	H07						
450.1	450	COAT CLOSET	F2	WD	PT	2'-6"	2'-6"	7'-0"	01	HM	PT		478"	J01	H01	S-01		2J			
451.1	451	TID	F2	HM	PT	3'-0"	3'-0"	7'-0"	01	HM	PT		478"	J01	H01	S-01		8F			
A001.1	A001	LOUNGE	FG	ALUMGL	FF	3'-0"	0"	8'-0"	01	ALUM	FF		GL01						21	NOTE #15, #17	
C001.1	C-401	CORRIDOR	N2	HM	PT	3'-2 1/2"	3'-2 1/2"	8'-0"	54	HM	PT		GL51	6 1/8"	J03	H03	S-01	1.5 HR	12A	NOTE #6, #14	
C002.1	C-402	CORRIDOR	F	HM	PT	3'-0"	3'-0"	8'-0"	01	HM	PT			6 1/8"	J01	H01	S-01	0.75 HR	12B		
C003.1	C-403	SERVICE VESTIBULE	F2	HM	PT	3'-0"	3'-0"	8'-0"	01	HM	PT			5 1/2"	J01	H01	S-01		ETC	NOTE #2	
C004.1	C-404	SERVICE VESTIBULE	UF	HM	PT	3'-0"	1'-6"	8'-0"	01	HM	PT			4 7/8"	J01	H01	S-01		1.0 HR	2A	
R001.1	R-401	MENS RESTROOM	F	WD	FF	3'-0"		8'-0"	01	HM	PT			4 7/8"	J01	H01	S-03		13	NOTE #10	
R002.1	R-402	WOMENS RESTROOM	F	WD	FF	3'-0"		8'-0"	01	HM	PT			4 7/8"	J01	H01	S-03		13	NOTE #10	
R003.1	R-403	TOILET	F	HM	PT	3'-0"		7'-0"	01	HM	PT			4 7/8"	J01	H01	S-03		4	NOTE #10	
R004.1	R-404	TOILET ROOM	F	HM	PT	3'-0"		7'-0"	01	HM	PT			4 7/8"	J01	H01	S-03		4	NOTE #10	
SA001.1	S-A001	ANNEX MECHANICAL PENTHOUSE	F2	HM	PT	3'-0"	3'-0"	7'-0"	01	HM	PT			6 1/8"	J01	H01	S-01		6F		
SA002.1	S-A002	STORAGE	F2	HM	PT	3'-4"	1'-7"	8'-0"	01	HM	PT			1'-13 3/4"	J20	H20	8A721		6F	NOTE #12	
ST001.1	ST-101	STAIR A	N	HM	PT	3'-0"		7'-0"	01	HM	PT		GL51	6 1/8"	J01	H01	S-01	1.5 HR	10		
ST002.1	ST-102	STAIR B	N	HM	PT	3'-0"		7'-0"	01	HM	PT		GL51	6 1/8"	J01	H01	S-01	1.5 HR	10		

DOOR & FRAME SCHEDULE Roof Level

DOOR NUMBER	ROOM No	ROOM NAME	DOOR			FRAME			SIDELITE			PARTITION THICKNESS			DETAILS			FIRE RATING	HARD WARE	COMMENTS	REV.
			PANEL TYPE	MATERIAL	FINISH	WIDTH 1	WIDTH 2	HEIGHT	TYPE	MATERIAL	FINISH	WIDTH	GLAZING	THICKNESS	JAMB	HEAD	SILL				
S501.1	S501	BOILER ROOM	F	HM	FF	3'-6"		7'-0"	01	HM	FF			4 7/8"	J01	H01	S-01		2E		
S502.1	S503	MAIN MECHANICAL PENTHOUSE	F	HM	FF	3'-6"		7'-0"	01	HM	FF			4 7/8"	J01	H01	S-01		2E		
S503.1	S503	MAIN MECHANICAL PENTHOUSE	F	HM	FF	3'-6"		7'-0"	01	HM	FF			1'-2"	J21	H21	S-21		2D	NOTE #12	
S503.2	S																				

